


Journal of Marine Systems, 17(1-4), November 1998.

Carbon Fluxes and Dynamic Processes in the Southern Ocean: Present and Past

Le Fèvre J. and P. Tréguer



Le Fèvre J. and P. Tréguer -- Editorial -- 1-3

Park Y.H., E. Charriaud and M. Fieux -- Thermohaline structure of the Antarctic Surface Water/Winter Water in the Indian sector of the Southern Ocean -- 5-23

Archambeau Anne-Sophie, Catherine Pierre, Alain Poisson and Bernard Schauer -- Distributions of oxygen and carbon stable isotopes and CFC-12 in the water masses of the Southern Ocean at 30°E from South Africa to Antarctica: results of the CIVA1 cruise -- 25-38

Bentaleb I., M. Fontugne, C. Descolas-Gros, C. Girardin, A. Mariotti, C. Pierre, C. Brunet and A. Poisson -- Carbon isotopic fractionation by plankton in the Southern Indian Ocean: relationship between of particulate organic carbon and dissolved carbon dioxide -- 39-58

Wedborg Margareta, Mario Hoppema and Annelie Skoog -- On the relation between organic and inorganic carbon in the Weddell Sea -- 59-76

Bathmann U.V. -- Ecology and biogeochemistry in the Atlantic sector of the Southern Ocean during austral spring: the first JGOFS expedition aboard RV 'Polarstern' -- 77-85

Edwards E.S., P.H. Burkill and M.A. Sleight -- Microbial community structure in the marginal ice zone of the Bellingshausen Sea -- 87-96

Barlow R.G., R.F.C. Mantoura and D.G. Cummings -- Phytoplankton pigment distributions and associated fluxes in the Bellingshausen Sea during the austral spring 1992 -- 97-113

Saggiomo V., G.C. Carrada, O. Mangoni, M. Ribera d'Alcalà and A. Russo -- Spatial and temporal variability of size-fractionated biomass and primary production in the Ross Sea (Antarctica) during austral spring and summer -- 115-127

Figueiras F.G., M. Estrada, O. López and B. Arbones -- Photosynthetic parameters and primary production in the Bransfield Strait: relationships with mesoscale hydrographic structures -- 129-141

Goeyens L., M. Semeneh, M.E.M. Baumann, M. Elskens, D. Shopova and F. Dehairs -- Phytoplanktonic nutrient utilisation and nutrient signature in the Southern Ocean -- 143-157

Semeneh M., F. Dehairs, M. Elskens, M.E.M. Baumann, E.E. Kopczynska, C. Lancelot and L. Goeyens -- Nitrogen uptake regime and phytoplankton community structure in the Atlantic and Indian sectors of the Southern Ocean -- 159-177

Fiala M., M. Semeneh and L. Oriol -- Size-fractionated phytoplankton biomass and species composition in the Indian sector of the Southern Ocean during austral summer -- 179-194

Melnikov Igor A. -- Winter production of sea ice algae in the western Weddell Sea -- 195-205

Murphy E.J., P.W. Boyd, R.J.G. Leakey, A. Atkinson, E.S. Edwards, C. Robinson, J. Priddle, S.J. Bury, D.B. Robins, P.H. Burkill et al. -- Carbon flux in ice–ocean–plankton systems of the Bellingshausen Sea during a period of ice retreat -- 207-227

Smith R.C., K.S. Baker and M. Vernet -- Seasonal and interannual variability of phytoplankton biomass west of the Antarctic Peninsula -- 229-243

Smith R.C., K.S. Baker, M.L. Byers and S.E. Stammerjohn -- Primary productivity of the Palmer Long Term Ecological Research Area and the Southern Ocean -- 245-259

Ross R.M., L.B. Quetin and K.L. Haberman -- Interannual and seasonal variability in short-term grazing impact of *Euphausia superba* in nearshore and offshore waters west of the Antarctic Peninsula -- 261-273

Priddle J., I.L. Boyd, M.J. Whitehouse, E.J. Murphy and J.P. Croxall -- Estimates of Southern Ocean primary production—constraints from predator carbon demand and nutrient drawdown -- 275-288

Fonda Umami S., M. Monti and C. Nuccio -- Microzooplankton biomass distribution in Terra Nova Bay, Ross Sea (Antarctica) -- 289-303

Schnack-Schiel Sigrid B., Wilhelm Hagen and Elke Mizdalski -- Seasonal carbon distribution of copepods in the eastern Weddell Sea, Antarctica -- 305-311

Pakhomov E.A., R. Perissinotto and P.W. Froneman -- Abundance and trophodynamics of *Euphausia crystallorophias* in the shelf region of the Lazarev Sea during austral spring and summer -- 313-324

Le Fèvre Jacques, Louis Legendre and Richard B. Rivkin -- Fluxes of biogenic carbon in the Southern Ocean: roles of large microphagous zooplankton -- 325-345

Alcaraz M., E. Saiz, J.A. Fernandez, I. Trepate, F. Figueiras, A. Calbet and B. Bautista -- Antarctic zooplankton metabolism: carbon requirements and ammonium excretion of salps and crustacean zooplankton in the vicinity of the Bransfield Strait during January 1994 -- 347-359

Perissinotto Renzo and Evgeny A. Pakhomov -- The trophic role of the tunicate *Salpa thompsoni* in the Antarctic marine ecosystem -- 361-374

Voronina N.M. -- Comparative abundance and distribution of major filter-feeders in the Antarctic pelagic zone -- 375-390

Mayzaud P., A. Errhif and A. Bedo -- Distribution of plankton lipids and their role in the biological transformation of Antarctic primary production -- 391-410

Chiantore M., R. Cattaneo-Vietti, G. Albertelli, C. Misic and M. Fabiano -- Role of filtering and biodeposition by *Adamussium colbecki* in circulation of organic matter in Terra Nova Bay (Ross Sea, Antarctica) -- 411-424

Albertelli G., R. Cattaneo-Vietti, M. Chiantore, A. Pusceddu and M. Fabiano -- Food availability to an *Adamussium* bed during the austral summer 1993/1994 (Terra Nova Bay, Ross Sea) -- 425-434

Gutt Julian, Andreas Starmans and Gerhard Dieckmann -- Phytodetritus deposited on the Antarctic shelf and upper slope: its relevance for the benthic system -- 435-444

Smith Walker O. Jr. and Robert B. Dunbar -- The relationship between new production and vertical flux on the Ross Sea continental shelf -- 445-457

Langone Leonardo, Mauro Frignani, Livio Labbrozzi and Mariangela Ravaioli -- Present-day biosiliceous sedimentation in the northwestern Ross Sea, Antarctica -- 459-470

Fischer G., P.J. Müller and G. Wefer -- Latitudinal ¹³Corg variations in sinking matter and sediments from the South Atlantic: effects of anthropogenic CO₂ and implications for paleo-PCO₂ reconstructions -- 471-495

Anderson R.F., N. Kumar, R.A. Mortlock, P.N. Froelich, P. Kubik, B. Dittrich-Hannen and M. Suter -- Late-Quaternary changes in productivity of the Southern Ocean -- 497-514

Ceccaroni L., M. Frank, M. Frignani, L. Langone, M. Ravaioli and A. Mangini -- Late Quaternary fluctuations of biogenic component fluxes on the continental slope of the Ross Sea, Antarctica -- 515-525

Bareille G., M. Labracherie, P. Bertrand, L. Labeyrie, G. Lavaux and M. Dignan -- Glacial–interglacial changes in the accumulation rates of major biogenic components in Southern Indian Ocean sediments -- 527-539

Pichon J.J., E.L. Sikes, C. Hiramatsu and L. Robertson -- Comparison of U37k' and diatom assemblage sea surface temperature estimates with atlas derived data in Holocene sediments from the Southern West Indian Ocean -- 541-554

Jeandel Catherine, Diana Ruiz-Pino, Elvis Gjata, Alain Poisson, Christian Brunet, Edwige Charriaud, Frank Dehairs, Daniel Delille, Michel Fiala, Charles Fravallo et al. -- KERFIX, a time-series station in the Southern Ocean: a presentation -- 555-569

Park Y.H., E. Charriaud, D. Ruiz Pino and C. Jeandel -- Seasonal and interannual variability of the mixed layer properties and steric height at station KERFIX, southwest of Kerguelen -- 571-586

Pondaven P., C. Fravallo, D. Ruiz-Pino, P. Tréguer, B. Quéguiner and C. Jeandel -- Modelling the silica pump in the Permanently Open Ocean Zone of the Southern Ocean -- 587-619